



Air Drills and Screwdrivers

■ Air Drills ■ Air Screwdrivers

[Air Drills]



TPT-610R
1/2" Reversible Drill



TPT-600R
3/8" Reversible Drill



TPT-601R
3/8" Reversible Drill



TPT-602R
1/2" Reversible Drill



TPT-605
3/8" Non-Reversible Drill
with key chuck

TPT-605-4
With 1/2" key chuck

Model	Chuck Size	Free Speed	Rated Power		Net Weight		Overall Length		Noise Level	Average Air Cons. @ Load		Air Inlet NPTF	Hose Size	
	in	rpm	hp	KW	lb	kg	inch	mm	dBA	cfm	L/min	inch	inch	mm
TPT-600R	3/8	1,800	0.5	0.4	2.9	1.3	7.0	177	87	8.5	240	1/4	3/8	10
TPT-610R	1/2	750	0.5	0.4	4.0	1.8	8.0	203	87	8.5	240	1/4	3/8	10
TPT-601R	3/8	2,300	0.5	0.4	2.9	1.3	7.5	191	83	10.0	283	1/4	3/8	10
TPT-602R	1/2	500	0.5	0.4	4.0	1.8	9.0	228	83	10.0	283	1/4	3/8	10
TPT-605	3/8	2,200	0.5	0.4	2.2	1.0	7.0	177	87	10.0	283	1/4	3/8	10
TPT-605-4	1/2	2,200	0.5	0.4	2.2	1.0	7.0	177	87	10.0	283	1/4	3/8	10



TPT-606
1/2" Non-Reversible Drill



TPT-607
1/2" Non-Reversible Drill



TPT-608
3/8" Non-Reversible Drill

Model	Chuck Size	Free Speed	Rated Power		Net Weight		Overall Length		Noise Level	Average Air Cons. @ Load		Air Inlet NPTF	Hose Size	
	in	rpm	hp	KW	lb	kg	inch	mm	dBA	cfm	L/min	inch	inch	mm
TPT-606	1/2	800	0.5	0.4	4.0	1.8	8.0	203	87	8.5	241	1/4	3/8	10
TPT-607	1/2	500	0.5	0.4	4.0	1.8	9.0	228	87	8.5	241	1/4	3/8	10
TPT-608	3/8	1,500	0.5	0.4	2.4	1.1	7.8	197	75	3.0	85	1/4	3/8	10
TPT-621A	3/8	1,800	0.5	0.4	2.4	1.1	7.9	201	75	3.0	85	1/4	3/8	10
TPT-527	3/8	2,000	0.5	0.4	2.4	1.1	7.9	201	75	3.0	85	1/4	3/8	10

TPT-621A
3/8" Reversible Angle Drill



TPT-527
3/8" Air Straight Drill



[Air Drills with Composite Housing]



TPT-527F
3/8" Air Drill



TPT-621FB
3/8" Air Angle Drill

Model	Chuck Size	Free Speed	Rated Power		Net Weight		Overall Length		Noise Level	Average Air Cons. @ Load		Air Inlet NPTF	Hose Size	
	inch	rpm	hp	KW	lb	kg	inch	mm	dBA	cfm	L/min	inch	inch	mm
TPT-527F	3/8	2,000	0.5	0.4	2.2	1.0	8.6	218	85	9.9	280	1/4	3/8	10
TPT-621FB	3/8	2,000	0.5	0.4	2.2	1.0	8.8	224	85	9.9	280	1/4	3/8	10

[Accessories for Air Drills and Screwdrivers]



600R-032 Handle rubber
Apply to: TPT-600R, TPT-610R



766-027 Side handle
Apply to: TPT-726, TPT-728,
TPT-766, TPT-768