



## Air Hammers and Needle Scalers

■ Air Hammers   ■ Needle Scalers

## [Air Hammers]



### TPT-684N

Air Hammer, includes  
5-pcs chisel kit(175mm/Round)

### TPT-684NH

Includes  
5-pcs chisel kit(175mm/Hex)



### TPT-685N

Air Hammer, includes  
5-pcs chisel kit(250mm/Round)

### TPT-685NH

Includes  
5-pcs chisel kit(250mm/Hex)

### TPT-686

Air Hammer, includes  
5-pcs chisel kit(190mm/Round)

### TPT-686H

Includes  
5-pcs chisel kit(190mm/Hex)



Model	Shank Opening	Stroke Speed	Stroke Length		Net Weight		Overall Length		Noise Level	Average Air Cons. @ Load		Air Inlet NPTF	Hose Size	
	in(mm)		bpm	in	mm	lb	kg	inch		mm	cfm	L/min	inch	inch
TPT-684N	.401(10.2)	3,200	2.6	67	3.1	1.4	6.8	173	99	3.9	110	1/4	3/8	10
TPT-684NH	.401(10.2)hex	3,200	2.6	67	3.1	1.4	6.8	173	99	3.9	110	1/4	3/8	10
TPT-685N	.401(10.2)	2,100	3.5	89	3.7	1.7	8.8	223	99	3.9	110	1/4	3/8	10
TPT-685NH	.401(10.2)hex	2,100	3.5	89	3.7	1.7	8.8	223	99	3.9	110	1/4	3/8	10
TPT-686	.401(10.2)	3,000	2.4	60	3.3	1.5	7.9	200	95	9.5	270	1/4	3/8	10
TPT-686H	.401(10.2)hex	3,000	2.4	60	3.3	1.5	7.9	200	95	9.5	270	1/4	3/8	10

## [Air Hammers]



**TPT-930**  
Air Chipping Hammer

**TPT-930H**  
with (0.58")14.7mm chisel, Hex



**TPT-932**  
Air Chipping Hammer

**TPT-932H**  
with (0.58")14.7mm chisel, Hex



**TPT-931**  
Air Chipping Hammer

**TPT-931H**  
with (0.58")14.7mm chisel, Hex



**TPT-928**  
Air Scaling Hammer



**TPT-929**  
Air Scaling Hammer



**TPT-919**  
Air Riveting Hammer

Model	Shank Opening	Stroke Speed bpm	Strok Length		Net Weight		Overall Length		Noise Level dBA	Average Air Cons. @ Load		Air Inlet NPTF	Hose Size	
	in(mm)		in	mm	lb	kg	inch	mm		cfm	L/min		inch	inch
TPT-930	0.68(17.3)	2,400	3.0	77	17.6	8.0	14.4	365	104	33.9	960	1/4	3/8	10
TPT-930H	0.58(14.7) hex	2,400	3.0	77	17.6	8.0	14.4	365	104	33.9	960	1/4	3/8	10
TPT-931	0.68(17.3)	1,920	3.7	94	18.7	8.5	15.7	400	104	33.2	940	3/8	3/8	10
TPT-931H	0.58(14.7) hex	1,920	3.7	94	18.7	8.5	15.7	400	104	33.2	940	3/8	3/8	10
TPT-932	0.68(17.3)	1,550	4.0	102	19.8	9.0	16.7	425	104	30.4	860	3/8	3/8	10
TPT-932H	0.58(14.7) hex	1,550	4.0	102	19.8	9.0	16.7	425	104	30.4	860	3/8	3/8	10
TPT-928	-	7,000	1.5	38	5.1	2.3	22.0	560	101	5.0	141	1/4	3/8	10
TPT-929	-	2,400	1.0	26	8.8	4.0	21.7	550	104	11.5	326	3/8	3/8	10
TPT-919	8mm	5,400	1.2	31	0.9	0.4	6.7	170	96	3.0	85	1/4	3/8	10

## [Needle Scalers]



**TPT-921**  
Air Needle Scaler



**TPT-922**  
Air Needle Scaler

Model	Needle Quantity	Stroke Speed	Needle Size		Net Weight		Overall Length		Noise Level	Average Air Cons. @ Load		Air Inlet NPTF	Hose Size	
	pcs	bpm	in	mm	lb	kg	inch	mm	dBA	cfm	L/min	inch	inch	mm
TPT-921	19	3,700	1/8	3	5.9	2.7	13.2	335	108	4.2	120	1/4	3/8	10
TPT-922	35	2,500	1/8	3	13.2	6.0	18.1	460	112	7.1	200	1/4	3/8	10
TPT-923	19	4,400	1/8	3	6.2	2.8	16.1	410	104	6.7	190	1/4	3/8	10
TPT-926	28	2,800	1/8	3	11.9	5.4	23.6	600	112	10.0	283	1/4	3/8	10
TPT-920	19	3,700	1/8	3	5.9	2.7	14.8	375	108	4.2	120	1/4	3/8	10



**TPT-923**  
Air Needle Scaler

**TPT-923F**  
Air Flux Chipper



**TPT-926**  
Air Needle Scaler



**TPT-920**  
Air Needle Scaler

## [Needle Scalers]



**TPT-924**  
Air Flux Chipper



**TPT-925**  
Air Gasket Scraper



**TPT-927-3L**  
23.6"(600mm) in length

**TPT-927-4L**  
47.2"(1,200mm) in length

**TPT-927-5L**  
59.1"(1,500mm) in length  
Air Long Reach Scraper

Model	Stroke Speed	Stroke Length		Net Weight		Overall Length		Noise Level	Average Air Cons. @ Load		Air Inlet NPTF	Hose Size	
	bpm	in	mm	lb	kg	inch	mm	dBA	cfm	L/min	inch	inch	mm
TPT-924	2,700	1.3	33	4.8	2.2	13.2	335	107	5.0	141	1/4	3/8	10
TPT-925	4,000	1.6	40	1.8	0.8	9.6	245	91	3.5	100	1/4	3/8	10
TPT-927-3L	2,400	1.5	38	10.6	4.8	23.6	600	109	10.0	283	1/4	3/8	10
TPT-927-4L	2,400	1.5	38	14.3	6.5	47.2	1,200	109	10.0	283	1/4	3/8	10
TPT-927-5L	2,400	1.5	38	16.1	7.3	59.1	1,500	109	10.0	283	1/4	3/8	10